

## TOP MTF –LL 75W

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier**

Product Name TOP MTF –LL 75W  
Product code

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s) Transmission Fluid.  
Uses Advised Against Not known.

**1.3 Details of the supplier of the safety data sheet**

Manufacturer  
Company Identification/ supplier Falzol Top Lubricants  
Address Northwest Business Park  
Sligo,  
Postal code F91PPT0  
Telephone: 0719130033  
E-mail Sales@falzol.ie  
Office hours 08:30 - 17:30

**1.4 Emergency telephone number**

Emergency Phone No. 999

## SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

**2.2 Label elements**

According to Regulation (EC) No. 1272/2008 (CLP)

## TOP MTF –LL 75W

Product Name	TOP MTF –LL 75W
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P273: Avoid release to the environment. P501: Dispose of contents in accordance with local, state or national legislation.

**2.3 Other hazards**

This product contains: 128-37-0 (Endocrine disrupting properties)

**2.4 Additional Information**

For full text of H/P Statements see section 16.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Not applicable.

**3.2 Mixtures**

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Distillates (petroleum), hydrotreated light paraffinicBaseoil - unspecified[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	64742-55-8	265-158-7 01- 2119487077- 29	<1	Asp. Tox. 1 H304	GHS08
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	91648-65-6	293-927-7 01- 2119976351- 35	<0.5	Aquatic Chronic 3 H412	None
Zinc bis(dipentyl)dithiocarbamate)	15337-18-5	239-370-5 01-	<0.5	Aquatic Chronic 4 H413	None

## TOP MTF –LL 75W

		2120768116-52			
Dibutyl [[dipropoxyphosphinothioyl]thio]succinate	68413-47-8	270-219-6 01- 2120772316-52	<0.1	Skin Sens. 1B H317 Aquatic Chronic 2 H411	GHS07 GHS09
2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4 01- 2119565113-46	<0.1	Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS09
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	270-128-1 01- 2119491299-23	<0.1	Repr. 2 H361f Aquatic Chronic 3 H412	GHS08
Dipentylammonium dipentylidithiocarbamate	71902-20-0	276-172-8 01- 2120793078-43	<0.1	Acute Tox. 4 H302 Skin Sens. 1B H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS07 GHS09
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4 01- 2119492627-25	<0.1	Skin Sens. 1B H317	GHS07
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine		701-177-3 01- 2119488991-20	<0.1	Skin Irrit. 2 H315 Eye Dam. 1 H318 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS07 GHS09
Dibutyl fumarate	105-75-9	203-327-9	<0.1	Skin Sens. 1 H317 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS08 GHS07 GHS09
Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9 01- 2119488992-18	<0.1	Skin Sens. 1B H317	GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
Dipentylammonium dipentylidithiocarbamate	71902-20-0			Acute Tox. 4 (H302) : 500

## TOP MTF –LL 75W

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	Skin Sens. 1B	C>= 10.00 <= 100.00		
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine					Acute Tox. 4 (H332) : 11
Dibutyl fumarate	105-75-9			Aquatic Chronic 1: 100	
Sulfonic acids, petroleum, calcium salts	61789-86-4	Skin Sens. 1B	C>= 10.00 <= 100.00		

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

#### SECTION 4: FIRST AID MEASURES

##### 4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Do not induce vomiting wash out mouth with water. Get medical advice/attention if you feel unwell.

##### 4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

##### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

#### SECTION 5: FIREFIGHTING MEASURES

##### 5.1 Extinguishing media

Suitable Extinguishing media	Foam, CO2 or dry powder
Unsuitable extinguishing media	None.

##### 5.2 Special hazards arising from the substance or mixture

Heating may cause decomposition.

##### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

##### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

##### 6.2 Environmental precautions

## TOP MTF –LL 75W

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

**6.3 Methods and material for containment and cleaning up**

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

**6.4 Reference to other sections**

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Ensure adequate ventilation. Wear protective clothing as per section 8. Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating and drinking.

**7.2 Conditions for safe storage, including any incompatibilities**

Storage temperature Store in a well-ventilated place. Keep cool.  
Storage life Stable under normal conditions.  
Incompatible materials Oxidizing agents.

**7.3 Specific end use(s)**

Transmission Fluid.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters****8.1.1 Occupational Exposure Limits**

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
2,6-Di-tert-butyl-p-cresol	128-37-0		10			

Region Source  
United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

**8.2 Exposure controls**

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN ISO 16321-1).

## TOP MTF –LL 75W



Skin protection      Wear Impervious Gloves (EN374).



Respiratory protection      Normally no personal respiratory protection is necessary.



Thermal hazards      None known.

8.2.3. Environmental Exposure Controls      Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Red.
Odour	Characteristic odour.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	≥40 mm <sup>2</sup> /s 40 °C
Solubility	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Density (g/ml): 0.84 g/cm <sup>3</sup> - Relative density: 15 °C
Relative vapour density	Not known.
Particle characteristics	Not known.

### 9.2 Other information

None.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

None anticipated.

### 10.2 Chemical Stability

Stable under normal conditions.

## TOP MTF –LL 75W

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

None anticipated.

**10.5 Incompatible materials**

Oxidizing agents.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 625000
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 13750
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

**11.2 Information on other hazards**

Endocrine disrupting properties: List II: Substances under evaluation for endocrine disruption under an EU legislation 128-37-0 (Human health)

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

**12.2 Persistence and degradability**

Not known.

**12.3 Bioaccumulative potential**

Not known.

## TOP MTF –LL 75W

**12.4 Mobility in soil**

Not known.

**12.5 Results of PBT and vPvB assessment****12.6 Endocrine disrupting properties**

None known.

**12.7 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Dispose of this material and its container to hazardous or special waste collection point.  
Dispose at suitable refuse site.

**13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION**

Not classified as hazardous for transport.

**14.1 UN number or ID number**

Not applicable

**14.2 UN proper shipping name**

Not applicable

**14.3 Transport hazard class(es)**

Not applicable

**14.4 Packing group**

Not applicable

**14.5 Environmental hazards**

Not classified as a Marine Pollutant.

**14.6 Special precautions for user**

Not known

**14.7 Maritime transport in bulk according to IMO instruments**

Not known

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation



## TOP MTF –LL 75W

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Carcinogens: category 1B (64742-55-8), Carcinogens: category 1B (64741-88-4), 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol (91648-65-6), Zinc bis(dipentylthiocarbamate) (15337-18-5), Dibutyl [(dipropoxyphosphinothioyl)thio]succinate (68413-47-8), 2,6-di-tert-butyl-p-cresol (128-37-0), Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1), Dipentylammonium dipentylthiocarbamate (71902-20-0), Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6), N-methyl-N-[C18-(unsaturated)alkanoyl]glycine (), Dibutyl fumarate (105-75-9), Sulfonic acids, petroleum, calcium salts (61789-86-4)
Community Rolling Action Plan (CoRAP)	2,6-di-tert-butyl-p-cresol (128-37-0), Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)
Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants	Not listed
Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
<b>National regulations</b>	
Other	Not known.

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)

None.

GHS05: GHS: Corrosion

GHS07: GHS: Exclamation mark

GHS08: GHS: Health hazard

GHS09: GHS: Environment

Hazard classification

Acute Tox. 4 : Acute toxicity, Category 4

Asp. Tox. 1 : Aspiration hazard, Category 1

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1 : Skin sensitization, Category 1

Skin Sens. 1B : Skin sensitization, Category 1B

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Acute Tox. 4 : Acute toxicity, Category 4

## TOP MTF –LL 75W

Repr. 2 : Reproductive toxicity, Category 2

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Aquatic Chronic 4 : Hazardous to the aquatic environment, Chronic, Category 4

## Hazard Statement(s)

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H361f: Suspected of damaging fertility.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

H413: May cause long lasting harmful effects to aquatic life.

## Precautionary Statement(s)

P273: Avoid release to the environment.

P501: Dispose of contents in accordance with local, state or national legislation.

## Acronyms

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

Training Advice

Regular safety training as appropriate

## TOP MTF –LL 75W

## Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.