SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Top LHM Fluid

Product Part Number: FALHM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Hydraulic Fluid

Use advised against: Do not use in any other application., For specific application information consult Technical

Data Sheet.

1.3 Details of the supplier of the safety data sheet

Name of Supplier: Falzol/Top Lubricants
 Address of Supplier: Northwest business Park

Sligo F91PPT0

- Telephone: 0719130033

Email: Sales@falzol.ie

Name of Supplier:
 Address of Supplier:

Telephone:

- Email:

1.4 Emergency telephone number

Emergency Telephone: For UK and Northern Ireland Tel: 999 or 101., For ROI dial 999 or 112

Official body: National Poisons Information Service

Emergency number: (0344 892 0111) HEALTHCARE PROFESSIONALS ONLY

Country: United Kingdom & Northern Ireland
 Official body: National Poisons Information Centre

Emergency number: +353 (1) 809 2566 HEALTHCARE PROFESSIONALS ONLY

SECTION 1: Identification of the substance/mixture and of the company/undertaking (....)

- Country: Republic of Ireland

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - CLP: Asp. Tox. 1
- 2.2 Label elements



- Signal Word: Danger

2.2.1 Hazard statements

May be fatal if swallowed and enters airways (H304).

Contains: Distillates (petroleum), heavy hydrocracked

Supplemental Hazard information (EU): Repeated exposure may cause skin dryness or cracking (EUH066).

2.2.2 Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting (P301+P310+P331) Store locked up (P405).

Keep out of reach of children (P102).

Dispose of contents and/or container in accordance with local/ national regulations (P501).

2.3 Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

3.2.1 Diphenylamine

CAS Number: 122-39-4 EC Number: 204-539-4

REACH Registration Number: 01-2119488966-13

Index No.: 612-026-00-5 Specific concentration limits: None assigned

M factor: 1
Concentration: <0.1%

H Statements: H301, H311, H319, H331, H373, H400, H410

SECTION 3: Composition/information on ingredients (....)

Categories: Acute Tox. 3; Acute Tox. 3; Acute Tox. 3; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1

3.2.2 Distillates (petroleum), heavy hydrocracked

CAS Number: 64741-76-0 EC Number: 265-077-7

REACH Registration Number: 01-2119486951-26

 Index No.:
 649-453-00-1

 Specific concentration limits:
 None assigned

 M factor:
 Not applicable

 Concentration:
 22 - ≤35%

 H Statements:
 H304

 Categories:
 Asp. Tox. 1

3.2.3 Highly refined mineral oil

CAS Number: Various see below EC Number: Various see below REACH Registration Number: Various see below Index No.: Various see below Specific concentration limits: None assigned M factor: Not applicable 40 - < 65% Concentration: H304 H Statements: Categories: Asp. Tox. 1

Base oil may contain one or more of the following: 101316-70-5, 309-875-6, 101316-71-6, 309-876-1 101316-72-7, 309-877-7 RRN 01-2119489969-06/64741-88-4, 265-090-8, RRN 01-211948706-23, 649-454-00-7/, 64741-89-5, 265-091-3, RRN 01-2119487067-30/64741-95-3, 265-096-0, RRN 01-2119487081-40/64741-96-4, 265-097-6, RRN 01-2119483621-38/64742-01-4, 265-101-6, RRN 01-2119488707-21/64742-45-6, 265-147-7/64742-52-5, 265-155-0, RRN 01-2119467170-45, 649-465-00-7/64742-53-6, 265-156-6, RRN 01-2119480375-34, 649-466-00-2/64742-54-7, 265-157-1, RRN 01-2119484627-25, 649-461-00-8/64742-56-9, 265-159-2, RRN 01-2119480132-48, 649-469-00-9/64742-57-0, 265-160-8/01-2119489287-22/, 64741-88-4, 265-090-8, RNN 01-2119488706-23/64742-62-7, 265-166-0/RRN 01-2119480472-38/64742-65-0, 265-169-7, RRN 01-2119471299-27, 649-474-00-6/64742-70-7, 265-174-4, RRN 01-2119487080-42/68037-01-4, 500-183-1, RNN 01-2119486452-34/, 111-66-0, 203-893-7, RNN 01-2119486877-14, 01-2119409094-47/70693-43-5, 813-310-3/72623-85-9, 276-736-3, RRN 01-2119555262-43/72623-86-0, 276-737-9, RRN 01-2119474878-16, 649-482-00-x/72623-87-1, 276-738-4, RRN 01-2119474889-13, 649-483-00-5/74869-22-0, 278-012-2, RRN 01-2119495601-36, 649-484-00-0/8042-47-5, 232-455-8, 01-2119487078-27.

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1.1 Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes

SECTION 4: First aid measures (....)

difficult.

4.1.2 Contact with eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses (if easy to do so). Get medical attention.

4.1.3 Contact with skin

Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.

4.1.4 Ingestion

Aspiration hazard

Do not induce vomiting.

If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention immediately!

4.2 Most important symptoms and effects, both acute and delayed

4.2.1 Ingestion

Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.

Causes dizziness, confusion, headache or stupor

May cause gastro-intestinal disturbances

4.2.2 Contact with eyes

May cause slight irritation. The following symptoms may occur: erythema (redness), Pain.

4.2.3 Contact with skin

May cause defatting of the skin. May cause skin dryness and irritation.

4.2.4 Inhalation

May cause respiratory irritation. The following symptoms may occur: Cough, Dizziness, Headache.

- 4.3 Indication of any immediate medical attention and special treatment needed
 - Treatment should be symptomatic and directed to relieving any effects.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.
 Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or mixture

- If heated or in cases of fire, pressure in a vessel will increase and container may burst.
- Combustion products may include Carbon dioxide (CO2), Carbon monoxide (CO)

5.3 Advice for firefighters

SECTION 5: Firefighting measures (....)

- Promptly isolate and secure the scene, remove all unnecessary and untrained persons from the vicinity if there is a fire.
 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
 - Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European Standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

Spillage causes slippery surface

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Stop any leak if it is safe to do so.
 - Absorb with sand or other inert absorbent. Collect in containers and seal securely.
 - Adopt best manual handling considerations when handling, carrying and dispensing.
 - Appropriate protective equipment must be worn when handling a spill of this material. See SECTION 8, Exposure
 Controls/Personal Protection, for recommendations. If exposed to material during clean-up operations, see SECTION 4, First
 Aid Measures, for actions to follow.

6.2 Environmental precautions

- Do not allow product to enter drains. Prevent further spillage if safe. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- 6.3 Methods and material for containment and cleaning up
 - Stop any leak if it is safe to do so.
 - Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.
 - Dispose of in compliance with all local and national regulations.

6.4 Reference to other sections

- See Section 1 for emergency contact information.

See Section 5 for firefighting measures.

See Section 8 for information on appropriate personal protective equipment.

See Section 12 for environmental precautions.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- A risk assessment should be undertaken to identify the appropriate PPE when handling this product.
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash
 thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also
 Section 8 for additional information on hygiene measures.
- Dispose of contents and/or container in accordance with local/ national regulations.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

SECTION 7: Handling and storage (....)

- Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
- Store locked up.

7.3 Specific end use(s)

- The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Substances

Chemical Name	WEL (short term)	WEL (long term)	WEL	STEL
Highly refined mineral oil		5 mg/m³	5 mg/m³ (IE)	
Diphenylamine	20 mg/m ³	10 mg/m ³	10 mg/m³ (IE)	20 mg/m³ (IE)
Distillates (petroleum), heavy hydrocracked		5 mg/m ³	5 mg/m³ (IE)	

If this product contains ingredients with exposure limits, personal and/or workplace atmosphere monitoring may be required
to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective
equipment.

8.2 Exposure controls

- A full risk assessment should be undertaken before handling this material.





- Engineering Controls
- Appropriate Engineering Control:

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

No special requirements under ordinary conditions of use and with adequate ventilation.

- Eye Protection:
 - If contact is likely, safety glasses are recommended.
- Hand Protection
- As specific work environments and material handling practices vary, safety procedures should be developed for each intended
 application. The correct choice of protective gloves depends upon the chemicals being handled and the conditions of work
 and use. Recommended: Nitrile or other suitable glove. Breakthrough time represents how long a glove can be expected to
 provide effective permeation resistance. Always consult with your glove supplier for up-to-date technical information on
 breakthrough.

SECTION 8: Exposure controls/personal protection (....)

- Skin and Body Protection
 - Wear appropriate clothing as protection against splashing.
 - In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.
- Hygiene Measures
 - Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking.
 - Routinely wash work clothing and protective equipment to remove contaminants.
- Respiratory Protection
 - No Special requirements under ordinary conditions of use and with adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Green
 Physical state: Liquid

Odour: Characteristic.
 Density: 0.84 at 15°C
 Viscosity: 17 cSt @ 40 °C
 Freezing point/Range: No data available.
 Boiling Point/Range: 255 - 320°C
 Flashpoint: >130°C
 Autoignition Temperature: 220°C

9.2 Other information

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

 No specific test data available for this product. Refer to, conditions to avoid and incompatible material sections for additional information.

10.2 Chemical stability

- Considered stable under normal conditions
- 10.3 Possibility of hazardous reactions
 - None under normal processing.
 - Hazardous polymerisation does not occur.

10.4 Conditions to avoid

- Avoid heat, flames and other sources of ignition.

10.5 Incompatible materials

SECTION 10: Stability and reactivity (....)

Reactive or incompatible with the following materials: oxidizing materials.

10.6 Hazardous decomposition products

- Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Substances

Chemical Name	LC _{so} (inhalation, rat)	LD _{so} (dermal, rabbit)	LD ₅₀ (oral, rat)
Distillates (petroleum), heavy hydrocracked	>5.53 mg/l	>5000 mg/kg bw	>5000 mg/kg bw
Diphenylamine			>600 mg/kg bw

11.1.1 Ingestion

Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumor May cause gastro-intestinal disturbances

11.1.2 Inhalation

May cause respiratory irritation. The following symptoms may occur: Cough, Dizziness, Headache.

11.1.3 Contact with skin

May cause defatting of the skin. May cause skin dryness and irritation.

11.1.4 Contact with eyes

May cause redness and irritation

11.2 Information on other hazards

- No information available

SECTION 12: Ecological information

12.1 Toxicity

Substances

Chemical Name	IC _{so} (algae)	EC _{so} (daphnia)	LC _{so} (fish)
Diphenylamine	2.17 mg/l (72 hr)	1.2 mg/l (48 hr)	

12.2 Persistence and degradability

SECTION 12: Ecological information (....)

- Not readily biodegradable
- 12.2.1 Highly refined mineral oil

Not readily biodegradable.

12.2.2 Distillates (petroleum), heavy hydrocracked

Expected to be biodegradable.

12.2.3 Diphenylamine

Inherently biodegradable.

12.3 Bioaccumulative potential

 The product has limited potential for bioaccumulation. The product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil

- Spillages may penetrate the soil causing ground water contamination.
- Immiscible with water.

12.5 Results of PBT and vPvB assessment

Does not contain any PBT or PvB substances.

12.5.1 Highly refined mineral oil

Not Classified as PBT/vPvB by current EU criteria.

12.5.2 Distillates (petroleum), heavy hydrocracked

Not Classified as PBT/vPvB by current EU criteria.

12.6 Endocrine disrupting properties

Not applicable

12.7 Other adverse effects

 Spillages may form an oil layer on water surfaces causing physical damage to organisms. Oxygen transfer may also be impaired.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Dispose of in compliance with all local and national regulations.

13.2 Classification

- This material and its containers must be disposed of as controlled waste. Dispose of waste via a licensed waste disposal contractor.
- EWC NUMBER: Allocation of a waste code number in accordance with the European Waste Catalogue, should be carried out in agreement with an EA authorised waste disposal company.

SECTION 14: Transport information

14.1 UN number or ID number

UN No.: Not regulated.

14.2 UN proper shipping name

Proper Shipping Name: Not applicable.

14.3 Transport hazard class(es)

Hazard Class: Not applicable.

14.4 Packing group

Packing Group: Not applicable.

14.5 Environmental hazards

Not considered environmentally hazardous based on available data.

14.6 Special precautions for user

Not available.

14.7 Maritime transport in bulk according to IMO instruments

Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
- Regulation (EC) No 1272/2008 of the European Parliament and the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2 Chemical safety assessment

- A chemical safety assessment (CSA) for this product has not yet been completed

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H301: Toxic if swallowed. H304: May be fatal if swallowed and enters airways. H311: Toxic in contact with skin. H319: Causes serious eye irritation. H331: Toxic if inhaled. H373: May cause damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

Disclaimer

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,

storage and handling of the product. This information is correct to the best of our knowledge and

SECTION 16: Other information ()				
belief at the date of publication however no guarantee is made to its accuracy. This information				
relates only to the specific material designated and may not be valid for such material used in				
combination with any other materials or in any other process end of safety datasheet				